







- 06 Finishes
- **10** Discover Our Doors

### **DOORS**

- 12 Flush Door Line
- 16 Belíssima Door Line
- 18 Concept Door Line
- 20 Contemporânea Door Line
- 22 Veneziana Door Line
- 24 Pre-Hung Kits
- 26 Pivoting Door Kit
- 28 Sliding Door Kit

# TABLE OF CONTENTS

### **COMPONENTS**

- **30** Door Jambs
- **31** Trim
- 32 Baseboards

### **MOULDINGS**

**34** Mouldings

- **44** Certifications
- **46** Experience excellence: Randa Innovation and Quality

### **PLYWOOD**

40 Standards





After all, your environment will tell the most beautiful story of all:

# PREMIUM | PU Lacquer





SUPERIOR STANDARD



Pigmented with Italian Technology

Randa offers many finishing possibilities for our products, with different standards. Choose the best combination for your environment.

## **SUBLIME** | Renolit





Imported from Germany



# **ECO SOUL**| PET









**№** Eco-Friendly Material

## **NEOCLEAR** | Melamine



## **CLASSIC** | Natural Blade









## **OFF-WHITE** | Pre-Finish





# NEOCLASSIC | Melamine





# IMPRESSION CLASSIC | Painting























BACK COVER IN: HARDWOOD OR PINE BLADE



DOOR FRAME



DOOR FILLING





# **HONEYCOMB CORE**

3

- The interior of the door is filled with a beehive-shaped cardboard structure
- Offers good strength structure
- reduced weight and an excellent cost benefit ratio
- The 3/4 inch hive supports up to 3 ton/m<sup>2</sup>

Application: Indoor environments



## **SEMI-SOLID** CORE

- Filled with renewable wood slats
- Structural strength
- 70% internal wood fill

Application: Indoor environments



# **FLUSH**

The elegance and minimalism of RANDA Flush Doors in several finishing options.





**DIMENSIONS** 

Heights

2100

2200

2400

Measurements for single door slab



Sublime White

600

800

1000

1000

1000



Neoclassic Niagara

Measurements in millimeters

720

920

1200

1200

1200

Widths

700

900

1100

1100

1100

620

820

1050

1050

1050



Neo Clear White



Neoclassic Carvalho







Classic lpê



**AVAILABLE FINISHES** 



Doors are sold in individual slabs or kits\*.

\*Kits are not available in natural wood veneer finish.


\*Availability of KIT finishes varies by composition.





# FLUSH








# BELISSIMA The carve-in sophistication, Randa Trimmed Doors, offered in many options.













DIMENSIONS		Μ	leasurements	in millimeters
Heights		Wic	dths	
	600	620	700	720
2100	800	820	900	920
	1000	1050	1100	1200
2200	1000	1050	1100	1200
2400	1000	1050	1100	1200
Measurements for single	e door slab			

TYPES OF Trim \_15mm\_ 1,2mm ±1,2mm BELÍSSIMA Trim 15mm 5mm 1,5mm CONTEMPORÂNEA Trim 5mm



### **AVAILABLE FINISHES**

	Premium		Off-White		Cla	ssic		Neo	classic
White	Gray	Black	Primer	Curupixá	lpê	Angelin	Tauari	Niagara	Carvalho

Doors are sold in individual slabs or kits\*.

- \*Kits are not available in natural wood veneer finish.
- \*Availability of KIT finishes varies by composition.





# CONCEPT Belissima Belissima

The carve-in sophistication, Randa Trimmed Doors, offered in many options.





Classic Curupixá

DIMENSIONS		M	leasurements	in millimeters			
Heights	Widths						
	600	620	700	720			
2100	800	820	900	920			
	1000	1050	1100	1200			
2200	1000	1050	1100	1200			
2400	1000	1050	1100	1200			



Measurements for single door slab

### **AVAILABLE FINISHES**

	Premium		Off-White		Clas	ssic		Neoc	lassic
White	Gray	Black	Primer	Curupixá	lpê	Angelin	Tauari	Niagara	Carvalho

Doors are sold in individual slabs or kits\*.

- \*Kits are not available in natural wood veneer finish.
- \*Availability of KIT finishes varies by composition.





# CONTEMPORÂNEA







The carve-in sophistication, Randa Trimmed Doors, offered in many options.

DIMENSIONS		M	leasurements	in millimeters
Heights		Wic	dths	
	600	620	700	720
2100	800	820	900	920
	1000	1050	1100	1200
2200	1000	1050	1100	1200
2400	1000	1050	1100	1200

5<u>mm</u> ±1,2mm CONTEMPORÂNEA Trim 5mm


Neoclassic

Niagara Carvalho

TYPES OF Trim

Measurements for single door slab

### **AVAILABLE FINISHES**



Naturale

Doors are sold in individual slabs or kits\*.

\*Kits are not available in natural wood veneer finish.

\*Availability of KIT finishes varies by composition.





# **VENEZIANA**







Sublime Black

DIMENSIONS		N	leasurements	in millimeters				
Heights		Widths						
	600	620	700	720				
2100	800	820	900	920				
	1000	1050	1100	1200				
2200	1000	1050	1100	1200				
2400	1000	1050	1100	1200				

Measurements for single door slab

### **AVAILABLE FINISHES**

	Premium		Subl	ime	Neo Clear	Off-White
White	Gray	Black	Branco	Black	White	Primer

Doors are sold in individual slabs or kits\*.

\*Kits are not available in natural wood veneer finish.

\*Availability of KIT finishes varies by composition.





# PRE-HUNG DOOR KIT

The best projects deserve RANDA Pre-Hung Kit.







The Randa Pre-Hung Kits, assembled with door, jambs and trim, ready to be installed, offers agility, practicality and beauty for all types of construction.

Our product has five lines and two finish possibilities and the optional hinges and locks. All this ensures greater flexibility and productivity for your construction.





# PRE-HUNG **DOOR KIT**

The best projects deserve RANDA Pre-Hung Kit.







### THE **SMARTEST** solution for your **PROJECT**

Easy instalation, more efficiency and more agility.



PRE-HUNG **SLIDING** DOOR KIT

Door Width	Gap Width		
600	680		
620	700		
700	780		
720	800		
800	880		
820	900		
900	980		
920	1000		
Door Height	Gap Height		
2100	2150		

Measurements in millimeters

**TECHNICAL SUPPORT SERVICE** ON SITE

We have a specialized team to better serve your project with necessary technical assistance.

> FIND THE RIGHT **MEASUREMENT FOR** EACH DOOR SIZE

> > INSTALLATION LOCATION SITE



5149.1.10

Obra: GB - MAT

Forta: KIT PP ABRIR MEL. BCO DIAM LISA SSOC 2100x000x35 BAT 5 PC 2300x50x12 C/008

Nro. Porta: 10

Abert: SIT B14

Dobradiça/Fechadura: DOB 4246 3X2,5 R15 - RANDA

Andar: 1 KIT MEM: 5149 PED: 5148

Gap Width
650
670
750
770
850
870
950
970
Gap Height
2150

Measurements in millimeters



Door Width	Gap Width
900	1000
920	1020
1000	1100
1100	1200
1200	1300
Door Height	Gap Height
2100	2160
Massur	omante in millimatore

Measurements in millimeters



# PRE-HUNG SLIDING DOOR KIT

# Why Choose RANDA PRE-HUNG KITS?

It is the experience of more than 35 years synthesized in a product.


Agility, functionality, design and modernity, aligned in a complete solution for your construction.







# DOOR JAMBS

Randa jambs are produced in **HDF HYDRO, MDF** or **PVC** and use **PUR (polyurethane) adhesives** in the assembly of the material, which guarantees the longevity of the parts, protecting them from humidity and insects. Its adhesion system waterproofs the parts, making them more water resistant.








### ADJUSTABLE STANDARD

W	TY	PΕ	Fixed Rod	Adjustable Rod
(width)	Jamb	Rod	(FH)	(AR)
75	Adjustable	Adjustable		20
100				
120				
140	Dogulable	Dogulable	10	60
160	Regulable	Regulable	10	60
180				
200				
220	-			

<sup>\*</sup> Jambs below 100mm must be adjustable.

#### **AVAILABLE FINISHES**






<sup>\*\*</sup> Maximum measurement: 240mm. If larger jamb is required, special rods may be used


# COMPONENT Line TRIM


Randa trim are produced in **HDF HYDRO, MDF** or **PVC** and are available in various sizes and colors. HDF Hydro is humidity resistant, which gives the product a longer shelf life. PUR (polyurethane) adhesives also are used in the assembly of the material, to ensure the longevity of the parts.

### | ADJUSTABLE TRIM



### | REGULABLE TRIM





### **AVAILABLE FINISHES**







### COMPONENT Line

# **BASEBOARDS**

The baseboards are produced in **HDF Hydro** or **PVC,** which provides a longer lifespan to the product. The use of PUR (polyurethane) adhesives in the assembly of the material guarantees the longevity of the parts, protecting them from humidity and insects. Before the application of the primer, the natural wood is impregnated by a protective film at 150 degrees, ensuring a superior finish. Its adhesion system waterproofs the parts, making them more water resistant.







### **AVAILABLE FINISHES**





HDF HYDRO,

OR **PVC** 











### Line

# MOULDINGS

**Randa is the new high bar in the moulding quality** with wide experience in residential construction and the wood industry.

Randa mouldings are **produced with renewable solid wood** which are made **using the finger-joint process finished with a double gesso coat + top coat of primer.** Not only do we provide the most sought-after moulding profiles in the market, we customize profiles according to the needs of our customers.






Wide range of models following the **WM Series book** 



### Line

# MOULDINGS





# DISCOVER THE VARIETY OF OUR PROFILES

Base

Base Cap

Brick Mould

Casing

Chair Rail

Crown

**S4S Boards** 

Split Jambs

Stool

Stop

**Mitered Profiles** 







SPLIT JAMBS



SMALLS



RAW



S4S





#### Line

## **PLYWOOD**

Randa plywood goes through several steps to ensure **high quality,** from drying to classification, according to the climatization time of the veneer. The multiply of the veneers and the excellent bonding prevent the warping of the panel.

HIGH **QUALITY** 

RESISTANT TO WATER

FLEXIBLE & PRACTICAL

NATIONAL & INTERNATIONAL CERTIFICATIONS

#### CLASSIFICAÇÃO









Product widely used in civil construction in the national and international market.







Line

### **PLYWOOD**

HIGH **QUALITY** 

RESISTANT **TO WATER** 

FLEXIBLE &

NATIONAL & INTERNATIONAL CERTIFICATIONS













### NATIONAL &

All this with the quality assurance proven by the most renowned national and international certifications.



Plywood 18mm







**SEPA** C€2+ C€4 UK
















Nominal Thickness	The Number of Layers
9 mm	3 / 5
12 mm	5 / 7
15 mm	5 / 7 /9
17 mm	5/7/9
18 mm	5 / 7 /9 / 11
21 mm	7 / 9 / 11 / 13
24 mm	9 / 11 / 13 / 15
	-

<sup>\*</sup>For other variations, please check with us.

# CHECK OUT OUR CERTIFICATIONS

With strict traceability, safety and quality controls, we ensure a sustainable product from the management of our forests to your construction.

All this proven by national and international certifications.

REFERENCE IN

Unparalleled Quality







# NATIONAL & INTERNATIONAL CERTIFICATIONS



#### **ABNT**

In the quality sectoral programs (PSQ Wooden Doors for Buildings and PSQ Laminated Plywood), Randa was one of the pioneer companies to seek to meet ABNT standards, bringing both certifications to its products and maintaining a commitment to a high standard.

Ports: **NBR 15.930-2** 

Laminated Plywood: NBR 17001:2021



#### PS1-22

An important North American certifying agency, BENCHMARK INTERNATIONAL certified the Randa Group in the main lines of structural plywood, aiming to meet the "PS 1 Structural Plywood", proving that the products meet high quality standards for the various uses in North American civil construction. and from several other countries.



#### **FSC**<sup>®</sup>

Focusing on environmental, social and economic sustainability, the Randa Group certified its main products with the FSC Label and assures its customers that the raw material used in its production lines comes from environmentally friendly and responsible forests.



#### CE2+, CE4 E UKCA

In order to meet the requirements of the European Community and the United Kingdom, CE4, CE2+ and UKCA certification have been achieved and are maintained through strict quality controls in the production lines of Structural and Non-Structural Plywood. With its own laboratory and accredited, the company Randa maintains a strict quality control and analyzes its produced batches on a daily basis.



A marca do manejo florestal responsável

#### CARB E EPA

The products produced by the Randa Group are approved by EPA and CARB certification, which guarantees its customers products with a low formaldehyde emission index, a requirement of several American and European countries.



#### Discover the excellence:

# RANDA INNOVATION & QUALITY

Since 1987, **offering the best solutions** for national and international markets, **Randa** has become a **reference in reliability**.

More than 35 years of experience aligned with the most modern technological process transfers to our product the objectives that the construction market seeks: innovation, practicality, quality and cost-benefit.





more than 150 000 m<sup>2</sup> of industrial area, one of the most modern door, plywood and moulding factories in the world.

## ONE OF THE MAIN **EXPORTERS**IN THE COUNTRY

In addition to serving all regions of Brazil, our company reaches customers in 5 continents of the globe, with a special focus on the North American market.

#### PLANT 01

- Administrative and Corporate Offices
- Production of Doors, Kits, Veneer and Plywood

#### PLANT 02

- SawmillMoulding Mill

#### PLANT 03

• Veneer and Plywood Factory









# THINK BEYOND...

Our products reflect our commitment to sustainability. We offer innovative and environmentally friendly solutions, using wood from our reforested areas in high quality products.

At Randa, every action is guided by respect for nature and the community around us. We prioritize the responsible use of natural resources, always seeking a balance between economic development and environmental conservation.





By choosing Randa, you join a company that believes in the power of sustainability to transform the











BASEBOARDS



MOULDINGS



PLYWOOD





+55 (42) **3553-1378** 539 Ismael Camargo dos Santos Ave. São Cristóvão | Bituruna-PR

www.randa.com.br





Member



PSQ PME



Participant



